

Fig. 2

300

	Field name	Field type (Access)	Field type (Oracle)	Description
302	LTId	Integer	Integer	Report Id. Unique in this table.
304	LTVersion	Integer	Integer	Version of schema when record was inserted.
306	LTPrIDesc	Varchar(50)	Varchar(50)	Project description.
308	LTRepNme	Varchar(30)	Varchar(30)	Report name.
310	LTRepld	Varchar(150)	Varchar(150)	Report Id.
312	LTBatchId	Varchar(30)	Varchar(30)	Batch Id.
314	LTUsrNme	Varchar(30)	Varchar(30)	User name.
316	LTUsrCmnt	Varchar(254)	Varchar(254)	User comment.

318	LTPrIDat	Varchar(30)	Varchar(30)	Pmnt date.
320	LTPrITim	Varchar(30)	Varchar(30)	Pmnt time.
322	LTPrApp	Varchar(50)	Varchar(50)	Printing application name.
324	LTMachNme	Varchar(50)	Varchar(50)	Machine name.
326	LTDomnNme	Varchar(50)	Varchar(50)	Domain or Workgroup name.
328	LTLognNme	Varchar(50)	Varchar(50)	Login name.
330	LTXExtnt	Integer	Integer	X Extent of Pages in report.
332	LYExtnt	Integer	Integer	Y Extent of Pages in report.
334	LTNumOfPg	Integer	Integer	Number of pages in the report. If this field is blank, the number is computed for the LTId from LT Page table.
336	LT_CRC32	Integer	Integer	CRC of tags & numeric data in the record. If the CRC doesn't match, it indicates tampering of some field in the record.

Fig. 3

	Field name	Field type (Access)	Field type (Oracle)	Description
302	1 LTId	Integer	Integer	Report Id.
402	2 LTPgNum	Integer	Integer	Page number, LTId and LTPgNum together constitute a unique record.
404	3 LTPginfo	Varchar(100)	Varchar(100)	Page information (not used).

Fig. 4

500

	Field name	Field type (Access)	Field type (Oracle)	Description
302	1 LTId	Integer	Integer	Report Id.
402	2 LTPgNum	Integer	Integer	Page number.
502	3 LTMFRNum	Integer	Integer	Metafile record number. LTId, LTPgNum and LTMFRNum together constitute a unique record.
504	4 LTMFBfTy	Integer	Integer	Metafile buffer type. Tells the type metafile stored - regular, enhanced, base-64 encoded, etc.
506	5 LTMFBfLn	Integer	Integer	Length of data in LTMFBufr field.
508	6 LTMFBufr	Memo	Long	Metafile record stored in max. 16K chunks.

Fig. 5

600

	Field name	Field type (Access)	Field type (Oracle)	Description
1	LTLastId	Integer	Integer	The last LTId inserted in LT_Main. The value is not decremented if a record is deleted. The value is changed reset to 0 if all the records are deleted (to allow the new entries to start from 1). The max value is 4,294,967,295.

602

Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15A




Fig. 15B




Fig. 16




Fig. 17